



Banner Group Sync Discovery Documentation



Questions?

Contact us at engage@unifyed.com

1. Introduction

This document captures all the details of the client’s project team and key applications in the client’s environment. This information will be used for better planning and scoping of the Banner Group Sync implementation.

2. Client Information

Name	
Email Address	
Phone #	
Role	

3. Cut-Over Date

Date	
-------------	--

4. Person XML

```
<person><sourcedid><source>UoN</source><id>20000951</id></sourcedid><userid password = "nothing">20000951</userid><name><fn>Daryl Thomas</fn><n><family>Thomas</family><given>Daryl</given><prefix>Mr</prefix></n></name><demographics><gender>2</gender></demographics><email>DEVC2000951@unifyed.edu.au</email></person>
```

5. Group XML

```
<group><sourcedid><source>UoN</source><id>PRG_11540</id></sourcedid><description><short>PRG_11540</short><long>PhDlthPsy</long><full>PhD (Health Psychology)</full></description></group>
```

6. Membership XML

```
<membership ><sourcedid><source>UoN</source><id>PRG_11540</id></sourcedid><member><sourcedid><source>UoN</source><id>PRG_11540</id></sourcedid><idtype>1</idtype><role roletype="01"><status>1</status><userid>20000951</userid></role></member></membership>
```

Note: For numeric groups, source ID is required to be updated with the prefixed attribute under membership tag as well

Test Cases:

1. User does not exist in myCampus and is getting added to a group

- XML tag with person flag to add the user to the system
- Membership flag highlighting the user name as shown below

```
<person><sourcedid><source>UoN</source><id>20000951</id></sourcedid><userid
password = "nothing">200123</userid><name><fn>Neeraj
Kainth</fn><n><family>Kainth</family><given>Neeraj</given><prefix>Mr</pref
ix></n></name><demographics><gender>2</gender></demographics><email>nk@Loo
kingGlass.org</email></person>

<membership ><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><member><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><idtype>1</idtype><role
roletype="01"><status>1</status><userid>200123</userid></role></member></m
embership>
```

2. User exist already and is getting added to a group

- Membership flag highlighting the user name as shown below

```
<membership ><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><member><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><idtype>1</idtype><role
roletype="01"><status>1</status><userid>200123</userid></role></member></m
embership>
```

3. User getting added to a group and is being removed from another group (NOT A COMPLETE USER DELETION)

- Membership flag highlighting the user name as shown below for addition to the group
- Membership flag highlighting the user name as shown below for with recstatus flag for cleanup from the group
- E.g. Staff to faculty group migration for a user

```
<membership ><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><member><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><idtype>1</idtype><role
roletype="01"><status>1</status><userid>200123</userid></role></member></m
embership>

<membership><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><member><sourcedid><source>UoN</source><id>
PRG_11540</id></sourcedid><idtype>1</idtype><role recstatus="3"
```

```
roletype="01"><status>1</status><userid>200124</userid></role></member></memberships>
```

4. User Group getting removed completely

- When a group is completely removed, all the users are automatically removed from that group
- Only one XML flag highlighting group name with recstatus marked to “3” is required

```
<group
recstatus="3"><sourcedid><source>UoN</source><id>PRG_11540</id></sourcedid>
<><description><short>PRG_11540</short><long>PhDlthPsy</long><full>PhD
(Health Psychology)</full></description></group>
```

5. User is completely removed from the system

- When the user is completely removed from the system (User removal from ERP), user no logner should appear under myCampus
- Only one XML flag highlighting username with recstatus marked to “3” is required

```
<person
recstatus="3"><sourcedid><source>UoN</source><id>20000951</id></sourcedid><user
erid password = "nothing">200123</userid><name><fn>Neeraj
Kainth</fn><n><family>Kainth</family><given>Neeraj</given><prefix>Mr</prefix>
</n></name><demographics><gender>2</gender></demographics><email>nk@LookingGl
ass.org</email></person>
```

Note: We do not need to manually remove the user from the groups but is auto dropped when the recstatus is marked to “3”

Disclaimer

Any changes made in the information provided in this document by the member school post the sign-off (during the project implementation) needs to be approved by Campus Consortium as it may have impact on the scope, timeline and cost of this project.

Client Project Lead

Authorized Name	Date
Authorized Name	Date

Unifyed Identity Delivery Lead

Authorized Name	Date
Authorized Name	Date